

# Comfort Shield® Remedy - Norix Blue



## Model/Dimensions/Weight

See Additional Dimensions



## Fabrication & Material

Sealed Seam Mattress

Comfortable polyurethane foam core is encased in a fire retardant polyurethane coated cover with radio frequency welded seams for enhanced hygiene, security and durability. Mattress is fluid, crack, peel, abrasion and bed bug resistant, anti-microbial, and anti-fungal. Provides a virus barrier and is resistant to delaminating for greater infection control. Features a breathable vent that repels oil, water, blood, urine and other fluids. Made in the U.S.A.

## Flammability Test Standards

Compliant with the following flammability standards:

- 16 CFR Part 1633
- 16 CFR Part 1632
- California Technical Bulletin 129

## Performance Test Standards

- Tested to ASTM F1566 Hexagonal Roller Mattress Durability Test
- Tested to ASTM D751 Hydrostatic Resistance Test for Coated Fabrics

## Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

## Color

Norix Blue

## Options

Mattress is available with single or double integrated pillow

## Assembly

Shipped assembled in poly bag

## Warranty

5 year limited prorated warranty against seam failure and cover material cracking. (Full warranty details available upon request.)

## Maintenance

- Use hospital-grade cleaner or bleach/water solution on the entire mattress
- Completely rinse with clean water (do not submerge)
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty)
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

## Additional Dimensions

MRB6-3675	(36"W x 75"L x 6"H)	24 lbs	MRB6-3882	(38"W x 82"L x 6"H)	28.5 lbs
MRB6-3680	(36"W x 80"L x 6"H)	26 lbs			

Note: Dimensional tolerances are +/- one inch.

Norix Group, Inc.  
 1800 W. Hawthorne Lane,  
 Suite N  
 West Chicago, Illinois 60185  
 Phone: 630-231-1331  
 Toll Free: 800-234-4900  
 Fax: 630-231-4343  
 Email: furniture@norix.com  
 www.norix.com  
 ©2016 Norix Group, Inc.

Specifications subject to  
 change without notice.  
 ©2016 Norix Group, Inc.  
 All Rights Reserved.  
 Printed in U.S.A. 12/16

# Comfort Shield® Remedy - Silver Secure



## Model/Dimensions/Weight

See Additional Dimensions



## Fabrication & Material

Sealed Seam Mattress

Comfortable polyurethane foam core encased in a reinforced ripstop, fire-retardant, polyurethane coated cover with radio frequency welded seams for enhanced hygiene, security and durability. Premium cover is highly-puncture resistant and inhibits tearing if puncture does occur. Mattress is fluid, crack, peel, abrasion and bed bug resistant, anti-microbial and anti-fungal. Provides a virus barrier and is resistant to tearing and delaminating for greater infection control. Features a breathable vent that repels oil, water, blood, urine and other fluids. Made in the U.S.A.

## Flammability Test Standards

Compliant with the following flammability standards:

- 16 CFR Part 1633
- 16 CFR Part 1632
- California Technical Bulletin 129

## Performance Test Standards

- Tested to ASTM F1566 Hexagonal Roller Mattress Durability Test
- Tested to ASTM D751 Hydrostatic Resistance Test for Coated Fabrics

## Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

## Color

Silver

## Options

Mattress is available with single or double integrated pillow

## Assembly

Shipped assembled in poly bag

## Warranty

5 year limited prorated warranty against seam failure and cover material cracking. (Full warranty details available upon request.)

## Maintenance

- Use hospital-grade cleaner or bleach/water solution on the entire mattress
- Completely rinse with clean water (do not submerge)
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty)
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

## Additional Dimensions

MRS6-3675	(36"W x 75"L x 6"H)	24 lbs	MRS6-3882	(38"W x 82"L x 6"H)	28.5 lbs
MRS6-3680	(36"W x 80"L x 6"H)	26 lbs			

Note: Dimensional tolerances are +/- one inch.

Norix Group, Inc.  
 1800 W. Hawthorne Lane,  
 Suite N  
 West Chicago, Illinois 60185  
 Phone: 630-231-1331  
 Toll Free: 800-234-4900  
 Fax: 630-231-4343  
 Email: furniture@norix.com  
 www.norix.com  
 ©2016 Norix Group, Inc.

Specifications subject to  
 change without notice.  
 ©2016 Norix Group, Inc.  
 All Rights Reserved.  
 Printed in U.S.A. 12/16

# Comfort Shield® Remedy - Black Max



## Model/Dimensions/Weight

See Additional Dimensions



## Fabrication & Material

Sealed Seam Mattress

Comfortable polyurethane foam core is encased in a fortified ripstop, fire-retardant cover with radio frequency welded seams and reinforced stitching for enhanced hygiene, security and durability.

Three-ply polyurethane coated cover is highly-puncture resistant and inhibits tearing if puncture does occur. Mattress is fluid, crack, peel, abrasion and bed bug resistant, anti-microbial and anti-fungal. Provides a virus barrier and is resistant to tearing and delaminating for greater infection control. Features a breathable vent that repels oil, water, blood, urine and other fluids. Made in the U.S.A.

## Flammability Test Standards

Compliant with the following flammability standards:

- 16 CFR Part 1633
- 16 CFR Part 1632
- California Technical Bulletin 129

## Performance Test Standards

- Tested to ASTM F1566 Hexagonal Roller Mattress Durability Test
- Tested to ASTM D751 Hydrostatic Resistance Test for Coated Fabrics

## Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

## Color

Black

## Options

Mattress is available with single or double integrated pillow

## Assembly

Shipped assembled in poly bag

## Warranty

5 year limited prorated warranty against seam failure and cover material cracking. (Full warranty details available upon request.)

## Maintenance

- Use hospital-grade cleaner or bleach/water solution on the entire mattress
- Completely rinse with clean water (do not submerge)
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty)
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

## Additional Dimensions


MRX6-3675	(36"W x 75"L x 6"H)	24 lbs	MRX6-3882	(38"W x 82"L x 6"H)	28.5 lbs
MRX6-3680	(36"W x 80"L x 6"H)	26 lbs			

Note: Dimensional tolerances are +/- one inch.

Norix Group, Inc.  
 1800 W. Hawthorne Lane,  
 Suite N  
 West Chicago, Illinois 60185  
 Phone: 630-231-1331  
 Toll Free: 800-234-4900  
 Fax: 630-231-4343  
 Email: furniture@norix.com  
 www.norix.com  
 ©2016 Norix Group, Inc.

Specifications subject to  
 change without notice.  
 ©2016 Norix Group, Inc.  
 All Rights Reserved.  
 Printed in U.S.A. 12/16

# Comfort Shield® Remedy - Norix Blue Pillow



<b>Model</b>	PRB-1721
<b>Dimensions</b>	
Width	21"
Length	17.5"
Height	6"
<b>Weight</b>	1.5 lbs

Note: Dimensional tolerances are +/- one inch.



## Fabrication & Material

Sealed Seam Pillow

Polyester batting is encased in a fire-retardant, polyurethane coated cover with radio frequency welded seams for enhanced hygiene, security and durability. Pillow is fluid, crack, peel, abrasion and bed bug resistant, anti-microbial and anti-fungal. Provides a virus barrier and is resistant to delaminating for greater infection control. Features a breathable vent that repels oil, water, blood, urine and other fluids. Batting is made of non-hazardous materials and is 100% recyclable.

Made in the U.S.A.

## Flammability Test Standards

Compliant with the following flammability standards:

- 16 CFR Part 1633
- 16 CFR Part 1632
- California Technical Bulletin 129

## Performance Test Standards

- Tested to ASTM F1566 Hexagonal Roller Mattress Durability Test
- Tested to ASTM D751 Hydrostatic Resistance Test for Coated Fabrics

## Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

## Color

Norix Blue

## Assembly

Shipped assembled in poly bag

## Warranty

5 year limited prorated warranty against seam failure and cover material cracking. (Full warranty details available upon request.)


## Maintenance

- Use hospital-grade cleaner or bleach/water solution on the entire mattress
- Completely rinse with clean water (do not submerge)
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty)
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

Norix Group, Inc.  
 1800 W. Hawthorne Lane,  
 Suite N  
 West Chicago, Illinois 60185  
 Phone: 630-231-1331  
 Toll Free: 800-234-4900  
 Fax: 630-231-4343  
 Email: furniture@norix.com  
 www.norix.com  
 ©2016 Norix Group, Inc.

Specifications subject to  
 change without notice.  
 ©2016 Norix Group, Inc.  
 All Rights Reserved.  
 Printed in U.S.A. 12/16

# Comfort Shield® Remedy - Silver Secure Pillow



**Model** PRS-1721

**Dimensions**

Width 21"

Length 17.5"

Height 6"

**Weight** 1.5 lbs

Note: Dimensional tolerances are +/- one inch.



**Fabrication & Material**

Sealed Seam Pillow

Polyester batting fiber is encased in a reinforced ripstop, fire-retardant, polyurethane coated cover with radio frequency welded seams for enhanced hygiene, security and durability. Premium cover is highly-puncture resistant and inhibits tearing if puncture does occur. Pillow is fluid, crack, peel, abrasion and bed bug resistant, anti-microbial and anti-fungal. Provides a virus barrier and is resistant to tearing and delaminating for greater infection control. Features a breathable vent that repels oil, water, blood, urine and other fluids. Batting is made of non-hazardous materials and is 100% recyclable. Made in the U.S.A.

**Flammability Test Standards**

Compliant with the following flammability standards:

- 16 CFR Part 1633
- 16 CFR Part 1632
- California Technical Bulletin 129

**Performance Test Standards**

- Tested to ASTM F1566 Hexagonal Roller Mattress Durability Test
- Tested to ASTM D751 Hydrostatic Resistance Test for Coated Fabrics

**Environmental Test Standards**

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

**Color**

Silver

**Assembly**

Shipped assembled in poly bag

**Warranty**

5 year limited prorated warranty against seam failure and cover material cracking. (Full warranty details available upon request.)

**Maintenance**

- Use hospital-grade cleaner or bleach/water solution on the entire mattress
- Completely rinse with clean water (do not submerge)
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty)
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

Norix Group, Inc.  
1800 W. Hawthorne Lane,  
Suite N  
West Chicago, Illinois 60185  
Phone: 630-231-1331  
Toll Free: 800-234-4900  
Fax: 630-231-4343  
Email: furniture@norix.com  
www.norix.com  
©2016 Norix Group, Inc.

Specifications subject to change without notice.  
©2016 Norix Group, Inc.  
All Rights Reserved.  
Printed in U.S.A. 12/16