

DuraVision™ Mirror - Full Dome



Model	FD18
Dimensions	
Mirror Diameter	18"
Frame Diameter	20"
Depth	6.5"
Weight	6.2 lbs



Fabrication & Material

Mirror: 1/8" polycarbonate with a pure silver reflective coating on inside surface. Fully enclosed foam insert fills cavity to reduce flexing and enhance strength.

Frame: 3/16 x 1" steel has recessed holes for fastening to any solid flat surface. Powder coated to provide durable smooth finish.

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Mirror: Silver

Frame: Cream

Options

24" Diameter (See separate specification sheets)

Assembly

Fit mirror and foam backing to frame. Attach to ceiling or wall.

Installation

Installation required. Refer to manufacturer instructions; confirm surface material for specification of correct fittings (mounting hardware not included).

Warranty

3 year limited replacement warranty

Maintenance

When cleaning stainless steel, Norix recommends the use of a cleaner made especially for stainless steel products.

Norix Group, Inc.
1800 W. Hawthorne Lane,
Suite N
West Chicago, Illinois 60185
Phone: 630-231-1331
Toll Free: 800-234-4900
Fax: 630-231-4343
Email: furniture@norix.com
www.norix.com
©2016 Norix Group, Inc.

Specifications subject to
change without notice.
©2016 Norix Group, Inc.
All Rights Reserved.
Printed in U.S.A. 12/16

DuraVision™ Mirror - Full Dome



Model	FD24
Dimensions	
Mirror Diameter	24"
Frame Diameter	26"
Depth	8.5"
Weight	9.8 lbs



Fabrication & Material

Mirror: 1/8" polycarbonate with a pure silver reflective coating on inside surface. Fully enclosed foam insert fills cavity to reduce flexing and enhance strength.

Frame: 3/16 x 1" steel has recessed holes for fastening to any solid flat surface. Powder coated to provide durable smooth finish.

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Mirror: Silver

Frame: Cream

Options

18" Diameter (See separate specification sheets)

Assembly

Fit mirror and foam backing to frame. Attach to ceiling or wall.

Installation

Installation required. Refer to manufacturer instructions; confirm surface material for specification of correct fittings (mounting hardware not included).

Warranty

3 year limited replacement warranty

Maintenance

When cleaning stainless steel, Norix recommends the use of a cleaner made especially for stainless steel products.

Norix Group, Inc.
 1800 W. Hawthorne Lane,
 Suite N
 West Chicago, Illinois 60185
 Phone: 630-231-1331
 Toll Free: 800-234-4900
 Fax: 630-231-4343
 Email: furniture@norix.com
 www.norix.com
 ©2016 Norix Group, Inc.

Specifications subject to
 change without notice.
 ©2016 Norix Group, Inc.
 All Rights Reserved.
 Printed in U.S.A. 12/16

DuraVision™ Mirror - Half Dome



Model	HD18
Dimensions	
Length	20"
Height	11"
Depth	5.5"
Weight	5.84 lbs



Fabrication & Material

Mirror: 1/8" polycarbonate with a pure silver reflective coating on inside surface. Fully enclosed foam insert fills cavity to reduce flexing and enhance strength.

Frame: 3/16 x 1" steel has recessed holes for fastening to any solid flat surface. Powder coated to provide durable smooth finish.

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Mirror: Silver

Frame: Cream

Options

24" or 36" Mirror (See separate specification sheets)

Assembly

Fit mirror and foam backing to frame. Attach to ceiling or wall.

Installation

Installation required. Refer to manufacturer instructions; confirm surface material for specification of correct fittings (mounting hardware not included).

Warranty

3 year limited replacement warranty

Maintenance

When cleaning stainless steel, Norix recommends the use of a cleaner made especially for stainless steel products.

Norix Group, Inc.
 1800 W. Hawthorne Lane,
 Suite N
 West Chicago, Illinois 60185
 Phone: 630-231-1331
 Toll Free: 800-234-4900
 Fax: 630-231-4343
 Email: furniture@norix.com
 www.norix.com
 ©2016 Norix Group, Inc.

Specifications subject to
 change without notice.
 ©2016 Norix Group, Inc.
 All Rights Reserved.
 Printed in U.S.A. 12/16

DuraVision™ Mirror - Half Dome



Model	HD24
Dimensions	
Length	25.5"
Height	13"
Depth	6.5"
Weight	8.14 lbs



Fabrication & Material

Mirror: 1/8" polycarbonate with a pure silver reflective coating on inside surface. Fully enclosed foam insert fills cavity to reduce flexing and enhance strength.

Frame: 3/16 x 1" steel has recessed holes for fastening to any solid flat surface. Powder coated to provide durable smooth finish.

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Mirror: Silver

Frame: Cream

Options

18" or 36" Mirror (See separate specification sheets)

Assembly

Fit mirror and foam backing to frame. Attach to ceiling or wall.

Installation

Installation required. Refer to manufacturer instructions; confirm surface material for specification of correct fittings (mounting hardware not included).

Warranty

3 year limited replacement warranty

Maintenance

When cleaning stainless steel, Norix recommends the use of a cleaner made especially for stainless steel products.

Norix Group, Inc.
 1800 W. Hawthorne Lane,
 Suite N
 West Chicago, Illinois 60185
 Phone: 630-231-1331
 Toll Free: 800-234-4900
 Fax: 630-231-4343
 Email: furniture@norix.com
 www.norix.com
 ©2016 Norix Group, Inc.

Specifications subject to
 change without notice.
 ©2016 Norix Group, Inc.
 All Rights Reserved.
 Printed in U.S.A. 12/16

DuraVision™ Mirror - Half Dome



Model	HD36
Dimensions	
Length	38"
Height	19"
Depth	7.5"
Weight	13.9 lbs



Fabrication & Material

Mirror: 1/8" polycarbonate with a pure silver reflective coating on inside surface. Fully enclosed foam insert fills cavity to reduce flexing and enhance strength.

Frame: 3/16 x 1" steel has recessed holes for fastening to any solid flat surface. Powder coated to provide durable smooth finish.

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Mirror: Silver

Frame: Cream

Options

18" or 24" Mirror (See separate specification sheets)

Assembly

Fit mirror and foam backing to frame. Attach to ceiling or wall.

Installation

Installation required. Refer to manufacturer instructions; confirm surface material for specification of correct fittings (mounting hardware not included).

Warranty

3 year limited replacement warranty

Maintenance

When cleaning stainless steel, Norix recommends the use of a cleaner made especially for stainless steel products.

Norix Group, Inc.
 1800 W. Hawthorne Lane,
 Suite N
 West Chicago, Illinois 60185
 Phone: 630-231-1331
 Toll Free: 800-234-4900
 Fax: 630-231-4343
 Email: furniture@norix.com
 www.norix.com
 ©2016 Norix Group, Inc.

Specifications subject to
 change without notice.
 ©2016 Norix Group, Inc.
 All Rights Reserved.
 Printed in U.S.A. 12/16

DuraVision™ Mirror - Quarter Dome



Model	QD12
Dimensions	
Length	19"
Height	9.5"
Depth	13.5"
Weight	7.2 lbs



Fabrication & Material

Mirror: 1/8" polycarbonate with a pure silver reflective coating on inside surface. Fully enclosed foam insert fills cavity to reduce flexing and enhance strength.

Frame: 3/16 x 1" steel has recessed holes for fastening and slotted flange for mirror. Powder coated to provide durable smooth finish.

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Mirror: Silver

Frame: Cream

Options

18" Mirror (See separate specification sheets)

Assembly

Fit mirror and foam backing to frame. Attach to ceiling or wall.

Installation

Installation required. Refer to manufacturer instructions; confirm surface material for specification of correct fittings (mounting hardware not included).

Warranty

3 year limited replacement warranty

Maintenance

When cleaning stainless steel, Norix recommends the use of a cleaner made especially for stainless steel products.

Norix Group, Inc.
 1800 W. Hawthorne Lane,
 Suite N
 West Chicago, Illinois 60185
 Phone: 630-231-1331
 Toll Free: 800-234-4900
 Fax: 630-231-4343
 Email: furniture@norix.com
 www.norix.com
 ©2016 Norix Group, Inc.

Specifications subject to
 change without notice.
 ©2016 Norix Group, Inc.
 All Rights Reserved.
 Printed in U.S.A. 12/16

DuraVision™ Mirror - Quarter Dome



Model	QD18
Dimensions	
Length	27"
Height	13.375"
Depth	19"
Weight	9.5 lbs



Fabrication & Material

Mirror: 1/8" polycarbonate with a pure silver reflective coating on inside surface. Fully enclosed foam insert fills cavity to reduce flexing and enhance strength.

Frame: 3/16 x 1" steel has recessed holes for fastening and slotted flange for mirror. Powder coated to provide durable smooth finish.

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Mirror: Silver

Frame: Cream

Options

12" Mirror (See separate specification sheets)

Assembly

Fit mirror and foam backing to frame. Attach to ceiling or wall.

Installation

Installation required. Refer to manufacturer instructions; confirm surface material for specification of correct fittings (mounting hardware not included).

Warranty

3 year limited replacement warranty

Maintenance

When cleaning stainless steel, Norix recommends the use of a cleaner made especially for stainless steel products.

Norix Group, Inc.
 1800 W. Hawthorne Lane,
 Suite N
 West Chicago, Illinois 60185
 Phone: 630-231-1331
 Toll Free: 800-234-4900
 Fax: 630-231-4343
 Email: furniture@norix.com
 www.norix.com
 ©2016 Norix Group, Inc.

Specifications subject to
 change without notice.
 ©2016 Norix Group, Inc.
 All Rights Reserved.
 Printed in U.S.A. 12/16