

# Hondo® Armless Lounge Chair



<b>Model</b>	C910
<b>Dimensions</b>	
Seat Height	16"
Overall Height	29.75"
Depth	29.75"
Width	29.75"
<b>Weight</b>	90 lbs



## Fabrication & Material

One-piece rotationally molded, flexible 250 mil. polyvinyl chloride skin filled with flexible polyurethane foam that contains 2 part water-based polyurethane. Attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Made in the U.S.A.

## Flammability Test Standards:

Compliant with the following flammability standards:

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test Method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture
- British Standard BS 7176: 2007, High Hazard Occupancy (BS EN 1012-1: 2006, BS EN 1012-2: 2006, BS 5852: 2006)

## Performance Test Standards

- Product tested to 750 lb static load
- Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (500 lbs from 18")
- Meets or exceeds the requirements of ANSI/BIFMA X5.4-205

## Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

## Color

Canyon, Wild Berry, Meadow, Pine Cone, Lagoon, Graphite, Raven

## Options

Ganging Plates

## Assembly

Attach ganging plates when required

## Installation

None required

## Warranty

10 year limited replacement warranty.

Certain apparel dyes, including indigo dyes commonly used in denim jeans, may migrate onto the surface of the material and become visible on lighter colors. This phenomenon is increased by humidity and temperature and may be irreversible. Certain inks, including ball point ink can create permanent stains.

## Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Purple Power® Cleaner, a product that is readily available online and in stores that sell cleaning supplies. For the deep-scrub cleaning of tougher stains, marks and debris – including denim stains when cleaned often and soon after the dye appears – we recommend the use of World's Best Sensitive Surface Graffiti Remover.

Norix Group, Inc.  
1800 W. Hawthorne Lane,  
Suite N  
West Chicago, Illinois 60185  
Phone: 630-231-1331  
Toll Free: 800-234-4900  
Fax: 630-231-4343  
Email: furniture@norix.com  
www.norix.com  
©2017 Norix Group, Inc.

Specifications subject to  
change without notice.  
©2017 Norix Group, Inc.  
All Rights Reserved.  
Printed in U.S.A. 1/17

# Hondo® Arm Lounge Chair



<b>Model</b>	C912
<b>Dimensions</b>	
Seat Height	16"
Overall Height	29.75"
Depth	29.75"
Width	29.75"
Arm Height	22"
<b>Weight</b>	96 lbs



## Fabrication & Material

One-piece rotationally molded, flexible 250 mil. polyvinyl chloride skin filled with flexible polyurethane foam that contains 2 part water-based polyurethane. Attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Made in the U.S.A.

## Flammability Test Standards:

Compliant with the following flammability standards:

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test Method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture
- British Standard BS 7176: 2007, High Hazard Occupancy (BS EN 1012-1: 2006, BS EN 1012-2: 2006, BS 5852: 2006)

## Performance Test Standards

- Product tested to 750 lb static load
- Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (500 lbs from 18")
- Meets or exceeds the requirements of ANSI/BIFMA X5.4-205

## Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

## Color

Canyon, Wild Berry, Meadow, Pine Cone, Lagoon, Graphite, Raven

## Options

Ganging Plates

## Assembly

Attach ganging plates when required

## Installation

None required

## Warranty

10 year limited replacement warranty.

Certain apparel dyes, including indigo dyes commonly used in denim jeans, may migrate onto the surface of the material and become visible on lighter colors. This phenomenon is increased by humidity and temperature and may be irreversible. Certain inks, including ball point ink can create permanent stains.


## Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Purple Power® Cleaner, a product that is readily available online and in stores that sell cleaning supplies. For the deep-scrub cleaning of tougher stains, marks and debris – including denim stains when cleaned often and soon after the dye appears – we recommend the use of World's Best Sensitive Surface Graffiti Remover.

Norix Group, Inc.  
1800 W. Hawthorne Lane,  
Suite N  
West Chicago, Illinois 60185  
Phone: 630-231-1331  
Toll Free: 800-234-4900  
Fax: 630-231-4343  
Email: furniture@norix.com  
www.norix.com  
©2017 Norix Group, Inc.

Specifications subject to  
change without notice.  
©2017 Norix Group, Inc.  
All Rights Reserved.  
Printed in U.S.A. 1/17

## Hondo® Cube



<b>Model</b>	C915
<b>Dimensions</b>	
Height	16"
Depth	29.75"
Width	29.75"
<b>Weight</b>	78 lbs

**Fabrication & Material**

One-piece rotationally molded, flexible 250 mil. polyvinyl chloride skin filled with flexible polyurethane foam that contains 2 part water-based polyurethane. Attached with tamper resistant fasteners to a rotationally molded LLDPE (linear low density polyethylene) base. Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Made in the U.S.A.

**Flammability Test Standards:**

Compliant with the following flammability standards:

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test Method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture
- British Standard BS 7176: 2007, High Hazard Occupancy (BS EN 1012-1: 2006, BS EN 1012-2: 2006, BS 5852: 2006)

**Performance Test Standards**

- Product tested to 750 lb static load
- Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (500 lbs from 18")
- Meets or exceeds the requirements of ANSI/BIFMA X5.4-205

**Environmental Test Standards**

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

**Color**

Canyon, Wild Berry, Meadow, Pine Cone, Lagoon, Graphite, Raven

**Options**

Ganging Plates

**Assembly**

Attach ganging plates when required

**Installation**

None required

**Warranty**

10 year limited replacement warranty.

Certain apparel dyes, including indigo dyes commonly used in denim jeans, may migrate onto the surface of the material and become visible on lighter colors. This phenomenon is increased by humidity and temperature and may be irreversible. Certain inks, including ball point ink can create permanent stains.

**Maintenance**

For routine and regular cleaning maintenance, Norix recommends the use of Purple Power® Cleaner, a product that is readily available online and in stores that sell cleaning supplies. For the deep-scrub cleaning of tougher stains, marks and debris – including denim stains when cleaned often and soon after the dye appears – we recommend the use of World's Best Sensitive Surface Graffiti Remover.

Norix Group, Inc.  
1800 W. Hawthorne Lane,  
Suite N  
West Chicago, Illinois 60185  
Phone: 630-231-1331  
Toll Free: 800-234-4900  
Fax: 630-231-4343  
Email: furniture@norix.com  
www.norix.com  
©2017 Norix Group, Inc.

Specifications subject to  
change without notice.  
©2017 Norix Group, Inc.  
All Rights Reserved.  
Printed in U.S.A. 1/17