

Tank Box Property Storage - Legal/Letter



Model PB150

Box Dimensions

Width 51.5 cm

Depth 35 cm

Height 28 cm

Weight 4.3 kg

Model PBL401

Lid Dimensions

Width 53 cm

Depth 37 cm

Height 2.5 cm

Weight 1.6 kg



Fabrication & Material

Full height molded-in vertical ribs every 3 cm. 1.2cm x 2.2cm top flange provides maximum strength and rigidity. Capable of nesting for stable stacking. Injection molded from structural polyethylene. 100% recyclable. Made in the U.S.A.

Performance Test Standards

- Minimum sustained static load of 1,361 kg for four hours.

Flammability Test Standards

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies.
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Raven

Options

Optional lid (model PBL401) with locating feature for stacking and hasp for locking. Under bunk rail sets available to create drawer storage under steel bunk.

Assembly

None required

Installation

None required

Warranty

10 year limited replacement warranty.

Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Simple Green® or an equivalent cleaning product. For the deep-scrub cleaning of tougher stains, marks and debris, we recommend the use of Clorox® Clean-Up® Cleaner + Bleach or an equivalent cleaning solution.

Norix Group, Inc.
1800 W. Hawthorne Lane,
Suite N
West Chicago, Illinois 60185
Phone: 630-231-1331
Toll Free: 800-234-4900
Fax: 630-231-4343
Email: furniture@norix.com
www.norix.com
©2016 Norix Group, Inc.

Specifications subject to
change without notice.
©2016 Norix Group, Inc.
All Rights Reserved.
Printed in U.S.A. 12/16

Tank Box Property Storage - Standard



Model PB200

Box Dimensions

Width 58 cm
Depth 45.5 cm
Height 21.5 cm
Weight 4 kg

Model PBL400

Lid Dimensions

Width 59 cm
Depth 46 cm
Height 2.5 cm
Weight 1.8 kg



Fabrication & Material

Full height molded-in vertical ribs every 3 cm. 1.2cm x 2.2cm top flange provides maximum strength and rigidity. Capable of nesting for stable stacking. Injection molded from structural polyethylene. 100% recyclable. Made in the U.S.A.

Performance Test Standards

- Minimum sustained static load of 1,361 kg for four hours.

Flammability Test Standards

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies.
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Raven

Options

Optional lid (model PBL400) with locating feature for stacking and hasp for locking. Under bunk rail sets available to create drawer storage under steel bunk.

Assembly

None required

Installation

None required

Warranty

10 year limited replacement warranty.

Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Simple Green® or an equivalent cleaning product. For the deep-scrub cleaning of tougher stains, marks and debris, we recommend the use of Clorox® Clean-Up® Cleaner + Bleach or an equivalent cleaning solution.

Norix Group, Inc.
1800 W. Hawthorne Lane,
Suite N
West Chicago, Illinois 60185
Phone: 630-231-1331
Toll Free: 800-234-4900
Fax: 630-231-4343
Email: furniture@norix.com
www.norix.com
©2016 Norix Group, Inc.

Specifications subject to change without notice.
©2016 Norix Group, Inc.
All Rights Reserved.
Printed in U.S.A. 12/16

Tank Box Property Storage - Large



Model PB300

Box Dimensions

Width 58 cm
 Depth 45.5 cm
 Height 32 cm
Weight 5.4 kg

Model PBL400

Lid Dimensions

Width 58 cm
 Depth 45.5 cm
 Height 2.5 cm
Weight 1.8 kg



Fabrication & Material

Full height molded-in vertical ribs every 3 cm. 1.2cm x 2.2cm top flange provides maximum strength and rigidity. Capable of nesting for stable stacking. Injection molded from structural polyethylene. 100% recyclable. Made in the U.S.A.

Performance Test Standards

- Minimum sustained static load of 1,361 kg for four hours.

Flammability Test Standards

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies.
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Raven

Options

Optional lid (model PBL400) with locating feature for stacking and hasp for locking. Under bunk rail sets available to create drawer storage under steel bunk.

Assembly

None required

Installation

None required

Warranty

10 year limited replacement warranty.

Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Simple Green® or an equivalent cleaning product. For the deep-scrub cleaning of tougher stains, marks and debris, we recommend the use of Clorox® Clean-Up® Cleaner + Bleach or an equivalent cleaning solution.

Norix Group, Inc.
 1800 W. Hawthorne Lane,
 Suite N
 West Chicago, Illinois 60185
 Phone: 630-231-1331
 Toll Free: 800-234-4900
 Fax: 630-231-4343
 Email: furniture@norix.com
 www.norix.com
 ©2016 Norix Group, Inc.

Specifications subject to
 change without notice.
 ©2016 Norix Group, Inc.
 All Rights Reserved.
 Printed in U.S.A. 12/16

Tank Box Property Storage - X-Large



Model	PB350
Box Dimensions	
Width	86 cm
Depth	58 cm
Height	28 cm
Weight	10.2 kg

Model	PBL402
Lid Dimensions	
Width	88 cm
Depth	58 cm
Height	2.5 cm
Weight	3.6 kg



Fabrication & Material

Full height molded-in vertical ribs every 3 cm. 1.2cm x 2.2cm top flange provides maximum strength and rigidity. Capable of nesting for stable stacking. Injection molded from structural polyethylene. 100% recyclable. Made in the U.S.A.

Performance Test Standards

- Minimum sustained static load of 1,361 kg for four hours.

Flammability Test Standards

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies.
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Raven

Options

Optional lid (model PBL402) with locating feature for stacking and hasp for locking. Under bunk rail sets available to create drawer storage under steel bunk.

Assembly

None required

Installation

None required

Warranty

10 year limited replacement warranty.

Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Simple Green® or an equivalent cleaning product. For the deep-scrub cleaning of tougher stains, marks and debris, we recommend the use of Clorox® Clean-Up® Cleaner + Bleach or an equivalent cleaning solution.

Norix Group, Inc.
1800 W. Hawthorne Lane,
Suite N
West Chicago, Illinois 60185
Phone: 630-231-1331
Toll Free: 800-234-4900
Fax: 630-231-4343
Email: furniture@norix.com
www.norix.com
©2016 Norix Group, Inc.

Specifications subject to
change without notice.
©2016 Norix Group, Inc.
All Rights Reserved.
Printed in U.S.A. 12/16

Citadel™ Property Storage Container



Model	PB301
Box Dimensions	
Width	67.5 cm
Depth	44.5 cm
Height	33 cm
Weight	2.9 kg

Model	PBL201
Lid Dimensions	
Width	66 cm
Depth	46 cm
Height	5 cm
Weight	1.8 kg



Fabrication & Material

Innovative ribbed construction delivers superior strength with molded-in 3 dimensional structure. Securely stacks and alternatively nests with a 180 degree turn. Injection molded from high impact polypropylene copolymer. 100% recyclable. Made in the U.S.A.

Flammability Test Standards

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies.
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test method for Fire Testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Color

Raven

Options

Optional lid (model PBL201) with locating feature for stacking and hasp for locking. Under bunk rail sets available to create drawer storage under steel bunk.

Assembly

None required

Installation

None required

Warranty

10 year limited replacement warranty.

Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Simple Green® or an equivalent cleaning product. For the deep-scrub cleaning of tougher stains, marks and debris, we recommend the use of Clorox® Clean-Up® Cleaner + Bleach or an equivalent cleaning solution.

Norix Group, Inc.
1800 W. Hawthorne Lane,
Suite N
West Chicago, Illinois 60185
Phone: 630-231-1331
Toll Free: 800-234-4900
Fax: 630-231-4343
Email: furniture@norix.com
www.norix.com
©2016 Norix Group, Inc.

Specifications subject to
change without notice.
©2016 Norix Group, Inc.
All Rights Reserved.
Printed in U.S.A. 12/16